² June 3, 2010 7:09:45 AM

D044-717-011

Accept



Setup Start

Stop

Stop



Revision ID:

Item Name:

Cold Weather Baffle

Start Date: 6/03/10

Required Date: 6/07/10

Start Qty: 5.00



Cust Item ID:

Customer:

Tool ID

Reference:

Approvals:

Process Plan:

Req'd Qty: 5.00

Date:

Tooling:

Date:

Date:

Run Start

QC:

Operation

Date: **SPC (Y/N):**

Accept

Reject

Reject Insp.

Work Center ID Draw Nbr

Description

Set Up/ **Run Hours**

Tool # Plan

Qty Code

Qty

Number Stamp

Sequence ID/

Revision Nbr

N/A Rev N/A

100

Document Control

DOCUMENT CONTROL

Memo

0.00

0.00

Photocopy bluefile and create labels per PPP D044-717-011CHG001

5,0/06/08

110

Packaging Packaging

Pick Kit

0.00

Memo

0.00

120

QC4- 100% Inspect kits for completeness

0.00

Quality Control

QC

Memo

0.00

Work Order ID 59379

-June 3, 2010 7:09:46 AM



Page 2

Item ID:

D044-717-011

Accept



Setup Start

Stop

Start

Stop



Revision ID:

Item Name:

Cold Weather Baffle

Start Date:

Required Date: 6/07/10

6/03/10

Start Qty: 5.00

Req'd Qty: 5.00



Cust Item ID: Customer:

Reference:

Approvals:

Date: _______

Date: Tooling:

SPC (Y/N):

Set Up/

0.00

0.00

Run Hours

Tool ID

Tool # Plan

Date:

Date:

Code

Accept Qty

Run

Qty

Reject Reject

Insp. Number Stamp

130

Sequence ID/

Work Center ID

Packaging Packaging

Packaging

Operation

Description

Memo

Identify and pack for shipping as per PPP D044-717-011

Location:

140

QC21- Final Inspection - Work Order Release

0.00



Quality Control

Memo

0.00

10/06/10 Hg -mf 10-6-9

Work Order ID: 59379

Parent Item:

D044-717-011

Parent Item Name: Cold Weather Baffle



Start Date: 6/03/10

Required Date: 6/07/10

Comments: IPP Rev:B Removed Manufacturing			g 05-12-06 JLM				Start Qty: 5.00			Required Qty: 5.00				
	Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch		Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Total Qty	Qty Issued	Date Issued	Status
8,	D3276-041 Daffle Assembly LH		Manufactured	No			110	Each	5.0000	1 c	5 ~	 		/
					Location	1	Loc C	<u>Oty</u>	Loc Code					
\sim	D3276-042	N 801/1 8 (20) 8 (18 1 (8 2)	Manufactured	No	176	58738	110	5 5 Each	7.0000	<u>2</u> 1	8738 5)			
5,4	Baffle Assembly RH												·	
	Battle Assembly Kri				Location	<u>!</u>	Loc (<u>Oty</u>	Loc Code					
					st175			7		_		. 100		
	•					54450		2		_	5446	0 2 2		
k	D3383-1		M C (1	NI-		58723	110	5	0.0000	. 1	SF 1.	23 39	B 57	934/1/2
~ / X			Manufactured	No			110	Each	0.0000)5	23 37		
25	Hand III III IIII IIII IIII IIII IIII III										ردد	45ン.	· C	Le loisy
	AN526C1032R7 &	(1811 68 168 1118 1188118 (** 1884 18	Purchased	No			110	Each	114.0000	8	40 _		//,	<i>(</i>
C_{i}													14/4	7 (5)

<u>Location</u>	Loc Qty	Loc Code	
ST328	114		
113064	63		11
113749	1		
114056	50		

June 3, 2010 7:09:43 AM

Work Order ID: 59379

Parent Item:

D044-717-011

Parent Item Name:



Cold Weather Baffle

Comments:

IPP Rev:B Removed Manufacturing 05-12-06 JLM

Purchased

No

Start Date: 6/03/10

Required Date: 6/07/10


Start Qty: 5.00

Required Qty: 5.00

	Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Total Qty	Qty Issued	Date Issued	Status
	MS20426AD3-4		Purchased	No			110	Each	6,712.000	-16	80	7		
1	I JEDISANI NEKA 114 MANI SAKA ANDIA NUBA RINDIK NEKA 1084 ANDI KARA ANDI MBAN								I A I I I I I I I I I I I I I I I I I I					



Location	<u>Loc</u>	<u>Oty</u>	Loc Code	
ST316		6712		
104374		2712		
110398		4000		
	110	Each	154.0000	3. ·



	MS21059L3
>5	
	Nut Dista

Nut Plate

Loc Qty	Loc Code
100	
100	
54	
10	
44	
	100 100 54 10

Page 4 of 4





COMPATIBILITY

Compatibility of this installation with the aircraft is the **responsibility of the installer**. Ensure that this installation does not conflict with a previous modification.

CONTINUING AIRWORTHINESS

These installations should be maintained in accordance with the Instructions for Continued Airworthiness ICA-D044-717. Refer to the Aircraft Maintenance Manual for standard shop practices not referred to in these Installation Instructions.

3.0 INSTALLATION PROCEDURE

The Dart D044-717-011 Cold Weather Baffle Kit should be installed as follows:

- 3.1 Temporarily locate the D3276-041 Baffle Assembly on the LH inlet as shown in Figure 1. Transfer drill the 4 holes to the aircraft and enlarge to Ø0.203" (5.20mm). Ensure minimum edge distance of 0.300" from center of hole to edge of opening.
- Drill Ø0.098" holes for MS20426AD3-4 rivets that will be used to install the MS21059L3 nutplates. C'sink Ø0.179"x100° (4.55mm x100°).
- 3.3 Deburr all drilled/c'sink holes and touch-up with primer per the Aircraft Maintenance Manual.
- 3.4 Install MS21059L3 nutplates on a/c holes using MS20426AD3-4 rivets. Install the D3276-041 Baffle Assembly using AN526C1032-7 screws. Torque screws 15-25 in lb (2-3 Nm)
- 3.5 Repeat installation for RH side using D3276-042 Baffle Assembly.
- 3.6 Install D3383-1 Placard in full view of the pilot.

4.0 WEIGHT AND BALANCE

The following is the net weight increase associated with the installation.

(4) an			LATERAL		LONGITUDINAL	
Installation	·	Weight	Arm	Moment	Arm	Moment
D044-717-011		0.86 lb	0	0	160 in	138 in-lb
Cold Weather Baffle Kit	4,	0.39 kg	0	0	4.06 m	1.6 m-kg

5.0 PARTS LIST

₹ .

44.0

Qty -011	Part Number	Description				
Х	D044-717-011	COLD WEATHER BAFFLE KIT				
		,				
1 1	D3276-041\	BAFFLE ASSEMBLY, LH				
f 1	D3276-042-	BAFFLE ASSEMBLY, RH				
1	D3383-1	PLACARD				
Lenn	i ,					
* 8 *-	AN526C1032-7	SCREW				
. 16	MS20426AD3-4	RIVET				
8	MS21059L3	NUTPLATE				

• COPYRIGHT © 2004 BY DART AEROSPACE LTD •

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.

Revision: **B**

Date: 05.01.25

Dart Aerospace Ltd

	•									
W/O:			WC	ORK ORDER CHANG	GES			·		
DATE	STEP	PRO	NGE	Ву	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector		
Part No		PAR #:								
	R	esolution:	Disposition	າ:	QA: N/C Closed: Date:					
NCR:			WORK ORDI	ER NON-CONFORM	ANCE (NC	₹)				
DATE	STEP	Description of NC			etion B	Verific	cation	Approval	Approval	
	J.L.	Section A	Initial Chief Eng	Action Description Chief Eng	Sign o	Sect.	ion C	Chief Eng	QC Inspector	
								-		
.										
	1	I .	1 1		l l	1		1	1	

NOTE: Date & initial all entries